



دَارُورَةِ الْجَهَنَّمِ  
DEPARTMENT OF HEALTH

**JAWDA KPI Quarterly  
Guidelines for Telehealth  
Primary Care (PC) Service  
Providers**

**Issue: 2022**

## **Table of Contents**

<b>Executive Summary .....</b>	<b>3</b>
<b>About this Guidance.....</b>	<b>4</b>
<b>Diabetes poor control .....</b>	<b>5</b>
<b>Diabetes good control.....</b>	<b>7</b>

## **Executive Summary**

The Department of Health- Abu Dhabi (DOH) is the regulatory body of the healthcare sector in the Emirate of Abu Dhabi and ensures excellence in healthcare for the community by monitoring the health status of its population.

The Emirate of Abu Dhabi is experiencing a substantial growth in the number of hospitals, centers and clinics. This is ranging from school clinics and mobile units to internationally renowned specialize and tertiary academic healthcare centers. Although, access and quality of care has improved dramatically over the last couple of decades, mirroring the economic upturn and population boom of the Emirate, however challenges remain in addressing further improvements to the healthcare sector.

The main challenges that are presented with increasingly dynamic population include an aging population with increased expectation for treatment, utilization of technology and diverse workforce leading to increased complexity of healthcare provision in Abu Dhabi. All of this results in an increased and inherent risk to quality and patient safety.

DOH has developed a dynamic and comprehensive quality framework in order to bring about improvements across the health sector. This guidance relates to the quality indicators that DOH is mandating the quarterly reporting against all fully operating general and specialist hospitals in Abu Dhabi.

The guidance sets out the full definition and method of calculation for Telehealth access in the form of clinical outcome performance indicators. For enquiries about this guidance, please contact [jawda@doh.gov.ae](mailto:jawda@doh.gov.ae)

This document is subject for review and therefore it is advisable to always utilize online versions available on the DOH website.

Published: 2022 Version 1  
Effective in January, 01 2022

### About this Guidance

The guidance sets out the definitions and reporting frequency of JAWDA Telehealth service performance indicators. The Department of Health (DoH), with consultation from local and international expertise of chronic disease management has developed Telehealth performance Indicators that are aimed for assessing the degree to which a telehealth service provider competently and safely delivers the appropriate remote clinical services to the patient within the optimal time period.

The Jawda KPI for telehealth clinical indicators in this guidance include measures to monitor I.e., how well telehealth care hospitals and centers provide remote care for their patients, how often telehealth care hospitals and centers follow best practices and how effective they are at keeping patients healthy, and how patients feel about their experience on remote telehealth service. Healthcare providers are the most qualified professionals to develop and evaluate quality of care for people with chronic conditions; therefore, it is crucial that clinicians retain a leadership position in defining performance among telehealth service.

### Who is this guidance for?

All DoH licensed healthcare facilities providing telehealth care services in the Emirate of Abu Dhabi.

### How do I follow this guidance?

Telehealth care services provider are NOT required to submit quarterly submission of Jawda e-notification system. Jawda team will use centrally collected claim data submitted from healthcare providers through Shafafiya portal.

### What is the Regulation related to this guidance?

- Legislation establishing the Health Sector
- Department of Health Standard for Telehealth care issued 16th September 2020.  
<https://www.doh.gov.ae/-/media/0272CB2B824D41D6B4A2A5C78EBD94F9.ashx>
- As per DoH [Policy for Quality and Patient Safety](#) issued January 15<sup>th</sup> 2017, this guidance applies to all DoH Licensed Hospital Healthcare Facilities in the Emirate of Abu Dhabi in accordance with the requirements set out in this Standard.
- DoH claim adjudication policy <https://www.doh.gov.ae/en/resources/standards>

**Type: Comprehensive Diabetes Care (CDC)**

**Number: TEH\_QI001**

<b>KPI Description (title):</b>	<b>Diabetes Poor control</b>
<b>Domain</b>	<b>Clinical Effectiveness</b>
<b>Sub-Domain</b>	<b>Outcome</b>
<b>Definition</b>	Percent of diabetics who had hemoglobin A1c > 9.0 % (poor control) or no test result for most recent test within the last 12 months
<b>Calculation</b>	<p><b><u>Numerator:</u></b> Cases from the denominator where the most recent HbA1c measurement was greater than &gt; 9.0 % or had no test result during reporting period who accessed remote telehealth services.</p> <p>Patients should have a minimum of 2 physical diabetes related visits in addition to diabetes related telehealth visits within the last 12 months</p> <p><b>HbA1C – CPT – 83036,</b></p> <p><b>Denominator:</b> Total number of adults (18-75), with a diabetes principal diagnosis or diabetes medication during reporting period, who accessed remote telehealth services</p> <p><b>CPT Codes :</b> 99441, 99442, 99443</p> <p><b>Service Codes – 01-01, 01-02, 01-03, 01-04</b></p> <p><b>ICD 10 Codes:</b> E08, E10, E11, E13, O24, series Z79.4, Z79.84 (See Appendix – D)</p> <p><b>Denominator exclusions</b></p> <ul style="list-style-type: none"> <li>• Patient with diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes</li> <li>• <i>Obesity - E66.01 E66.09, E66.1, E66.2, E66.8, E66.9</i></li> </ul> <p><b>ICD-10:</b> O24.410, O24.414, O24.415, O24.419, O24.420, O24.424, O24.425, O24.429, O24.430, O24.434, O24.435, O24.439, O24.4, , E28.2, E09.00, E09.01, E09.10, E09.11, E09.21, E09.22, E09.29, E09.311, E09.319, E09.3211, E09.3212, E09.3213, E09.3219, E09.3291, E09.3292, E09.3293, E09.3299, E09.3311, E09.3312, E09.3313, E09.3319, E09.3391, E09.3392, E09.3393, E09.3399, E09.3411, E09.3412, E09.3413, E09.3419, E09.3491, E09.3492, E09.3493, E09.3499, E09.3511, E09.3512, E09.3513, E09.3519,</p>

## Jawda Telehealth Clinical Indicators Quality Performance

---

	E09.3521, E09.3522, E09.3523, E09.3529, E09.3531, E09.3532, E09.3533, E09.3539, E09.3541, E09.3542, E09.3543, E09.3549, E09.3551, E09.3552, E09.3553, E09.3559, E09.3591, E09.3592, E09.3593, E09.3599, E09.36, E09.37X1, E09.37X2, E09.37X3, E09.37X9, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610, E09.618, E09.620, E09.621, E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69, E09.8, E09.9
<b>Reporting Frequency</b>	Quarterly
<b>Unit Measure</b>	<b>% Hemoglobin A1c &gt;9.0%</b>
<b>Desired Direction</b>	Lower is better
<b>International comparison if available</b>	<a href="https://www.ncqa.org/hedis/measures/">https://www.ncqa.org/hedis/measures/</a> <a href="https://www.ahrq.gov/">https://www.ahrq.gov/</a> <a href="https://www.qualityforum.org/QPS/QPSTool">https://www.qualityforum.org/QPS/QPSTool</a>
<b>Data Source</b>	<ul style="list-style-type: none"><li>• Centrally collected claim data (KEH)</li></ul>

**Type: Comprehensive Diabetes Care (CDC)**

**Number: TEH\_QI002**

<b>KPI Description (title):</b>	<b>Diabetes good control</b>
<b>Domain</b>	Clinical Effectiveness
<b>Sub-Domain</b>	Outcome
<b>Definition</b>	Percent of diabetics who had hemoglobin A1C < 7.0 % (good control) for the most recent test within the last 12 months
<b>Calculation</b>	<p><b>Numerator:</b> Cases from the denominator where the most recent HbA1c measurement was less than &lt; 7.0 % during reporting period who accessed remote telehealth services, within the last 12 months</p> <p>Patients should have a minimum of 2 physical diabetes related visits in addition to diabetes related telehealth visits within the last 12 months</p> <p><b>HbA1C – CPT – 83036,</b></p> <p><b>Denominator:</b> Total number of adults (18-75), with a diabetes principal diagnosis or diabetes medication during reporting period who accessed remote telehealth services.</p> <p><b>CPT Codes :</b> 99441, 99442, 99443</p> <p><b>Service Codes –</b> 01-01, 01-02, 01-03, 01-04</p> <p><b>ICD 10 Codes:</b> E08, E10, E11, E13, O24 series Z79.4, Z79.84 (See Appendix – D)</p> <p><b>Denominator exclusions</b></p> <ul style="list-style-type: none"> <li>• Patient with diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes who accessed remote telehealth services</li> <li>• Obesity - E66.01 E66.09 E66.1 E66.2 E66.8 E66.9</li> </ul> <p><b>ICD-10:</b> O24.410, O24.414, O24.415, O24.419, O24.420, O24.424, O24.425, O24.429, O24.430, O24.434, O24.435, O24.439, O24.4, , E28.2, E09.00, E09.01, E09.10, E09.11, E09.21, E09.22, E09.29, E09.311, E09.319, E09.3211, E09.3212, E09.3213, E09.3219, E09.3291, E09.3292, E09.3293, E09.3299, E09.3311, E09.3312, E09.3313, E09.3319, E09.3391, E09.3392, E09.3393, E09.3399, E09.3411, E09.3412, E09.3413, E09.3419, E09.3491, E09.3492, E09.3493, E09.3499, E09.3511, E09.3512, E09.3513, E09.3519, E09.3521, E09.3522, E09.3523, E09.3529, E09.3531, E09.3532, E09.3533, E09.3539, E09.3541,</p>

## Jawda Telehealth Clinical Indicators Quality Performance

---

	E09.3542, E09.3543, E09.3549, E09.3551, E09.3552, E09.3553, E09.3559, E09.3591, E09.3592, E09.3593, E09.3599, E09.36, E09.37X1, E09.37X2, E09.37X3, E09.37X9, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610, E09.618, E09.620, E09.621, E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69, E09.8, E09.9
<b>Reporting Frequency</b>	Quarterly
<b>Unit Measure</b>	<b>% HBA1C control &lt; 7.0%</b>
<b>Desired Direction</b>	Higher is better
<b>International comparison if available</b>	<a href="https://www.ncqa.org/hedis/measures/">https://www.ncqa.org/hedis/measures/</a> <a href="https://www.ahrq.gov/">https://www.ahrq.gov/</a> <a href="https://www.qualityforum.org/QPS/QPSTool">https://www.qualityforum.org/QPS/QPSTool</a>
<b>Data Source</b>	<ul style="list-style-type: none"><li>• Centrally collected claim data (KEH)</li><li>• EMR</li></ul>

## Appendix A – CPT Category II codes

2022F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (DM)
2024F	7 standard field stereoscopic photos with interpretation by an ophthalmologist or optometrist documented and reviewed (DM)
2026F	Eye imaging validated to match diagnosis from 7 standard field stereoscopic photos results documented and reviewed (DM)
2028F	Foot examination performed (includes examination through visual inspection, sensory exam with monofilament, and pulse exam - report when any of the 3 components are completed) (DM)
3066F	Documentation of treatment for nephropathy (eg, patient receiving dialysis, patient being treated for ESRD, CRF, ARF, or renal insufficiency, any visit to a nephrologist) (DM)
3072F	Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)
G0245	Initial physician evaluation and management of a diabetic patient with diabetic sensory neuropathy resulting in a loss of protective sensation (LOPS) which must include: (1) the diagnosis of LOPS, (2) a patient history, (3) a physical examination that consists of at least the following elements: (a) visual inspection of the forefoot, hindfoot, and toe web spaces, (b) evaluation of a protective sensation, (c) evaluation of foot structure and biomechanics, (d) evaluation of vascular status and skin integrity, and (e) evaluation and recommendation of footwear, and (4) patient education
G0246	Follow-up physician evaluation and management of a diabetic patient with diabetic sensory neuropathy resulting in a loss of protective sensation (LOPS) to include at least the following: (1) a patient history, (2) a physical examination that includes: (a) visual inspection of the forefoot, hindfoot, and toe web spaces, (b) evaluation of protective sensation, (c) evaluation of foot structure and biomechanics, (d) evaluation of vascular status and skin integrity, and (e) evaluation and recommendation of footwear, and (3) patient education
G0247	Routine foot care by a physician of a diabetic patient with diabetic sensory neuropathy resulting in a loss of protective sensation (LOPS) to include the local care of superficial wounds (i.e., superficial to muscle and fascia) and at least the following, if present: (1) local care of superficial wounds, (2) debridement of corns and calluses, and (3) trimming and debridement of nails
S3000	Diabetic indicator; retinal eye exam, dilated, bilateral

## Jawda Telehealth Clinical Indicators Quality Performance

---

G8431	Positive screen for clinical depression using an age appropriate standardized tool and a follow-up plan documented						
G8432	No documentation of clinical depression screening using an age appropriate standardized tool						
G8433	Screening for clinical depression using an age appropriate standardized tool not documented, patient not eligible/appropriate						
G8506	Patient receiving angiotensin converting enzyme (ACE) inhibitor or angiotensin receptor blocker (ARB) therapy						
G8510	Negative screen for clinical depression using an age appropriate standardized tool, follow-up not required						
G8511	Positive screen for clinical depression using an age appropriate standardized tool documented, follow up plan not documented, reason not specified						

000.00 000.01	O00.1	O00.201 O00.202 O00.209	O00.80 O00.81	O00.90 O00.91	O01.0	O01.1	O01.9
002.0	O02.1	O02.81	O02.89	O02.9	O03.0	O03.1	O03.2
003.30	O03.31	O03.32	O03.33	O03.34	O03.35	O03.36	O03.37
003.38	O03.39	O03.4	O03.5	O03.6	O03.7	O03.80	O03.81
003.82	O03.83	O03.84	O03.85	O03.86	O03.87	O03.88	O03.89
003.9	O04.5	O04.6	O04.7	O04.80	O04.81	O04.82	O04.83
004.84	O04.85	O04.86	O04.87	O04.88	O04.89	O07.0	O07.1
007.2	O07.30	O07.31	O07.32	O07.33	O07.34	O07.35	O07.36
007.37	O07.38	O07.39	O07.4	O08.0	O08.1	O08.2	O08.3
008.4	O08.5	O08.6	O08.7	O08.81	O08.82	O08.83	O08.89
008.9	O09.00	O09.01	O09.02	O09.03	O09.10	O09.11	O09.12
009.13	O09.211	O09.212	O09.213	O09.219	O09.291	O09.292	O09.293
009.299	O09.30	O09.31	O09.32	O09.33	O09.40	O09.41	O09.42
009.43	O09.511	O09.512	O09.513	O09.519	O09.521	O09.522	O09.523
009.529	O09.611	O09.612	O09.613	O09.619	O09.621	O09.622	O09.623
009.629	O09.70	O09.71	O09.72	O09.73	O09.811	O09.812	O09.813
009.819	O09.821	O09.822	O09.823	O09.829	O09.891	O09.892	O09.893
009.899	O09.90	O09.91	O09.92	O09.93	O10.011	O10.012	O10.013
010.019	O10.02	O10.03	O10.111	O10.112	O10.113	O10.119	O10.12
010.13	O10.211	O10.212	O10.213	O10.219	O10.22	O10.23	O10.311
010.312	O10.313	O10.319	O10.32	O10.33	O10.411	O10.412	O10.413
010.419	O10.42	O10.43	O10.911	O10.912	O10.913	O10.919	O10.92
010.93	O11.1	O11.2	O11.3	O11.9	O12.00	O12.01	O12.02

## Jawda Telehealth Clinical Indicators Quality Performance

---

O12.03	O12.10	O12.11	O12.12	O12.13	O12.20	O12.21	O12.22
O12.23	O13.1	O13.2	O13.3	O13.9	O14.00	O14.02	O14.03
O14.10	O14.12	O14.13	O14.20	O14.22	O14.23	O14.90	O14.92
O14.93	O15.00	O15.02	O15.03	O15.1	O15.2	O15.9	O16.1
O16.2	O16.3	O16.9	O20.0	O20.8	O20.9	O21.0	O21.1
O21.2	O21.8	O21.9	O22.00	O22.01	O22.02	O22.03	O22.10
O22.11	O22.12	O22.13	O22.20	O22.21	O22.22	O22.23	O22.30
O22.31	O22.32	O22.33	O22.40	O22.41	O22.42	O22.43	O22.50
O22.51	O22.52	O22.53	O22.8X1	O22.8X2	O22.8X3	O22.8X9	O22.90
O22.91	O22.92	O22.93	O23.00	O23.01	O23.02	O23.03	O23.10
O23.11	O23.12	O23.13	O23.20	O23.21	O23.22	O23.23	O23.30
O23.31	O23.32	O23.33	O23.40	O23.41	O23.42	O23.43	O23.511
O23.512	O23.513	O23.519	O23.521	O23.522	O23.523	O23.529	O23.591
O23.592	O23.593	O23.599	O23.90	O23.91	O23.92	O23.93	O24.011
O24.012	O24.013	O24.019	O24.02	O24.03	O24.111	O24.112	O24.113
O24.119	O24.12	O24.13	O24.311	O24.312	O24.313	O24.319	O24.32
O24.33	O24.410	O24.414	O24.419	O24.420	O24.424	O24.429	O24.430
O24.434	O24.439	O24.811	O24.812	O24.813	O24.819	O24.82	O24.83
O24.911	O24.912	O24.913	O24.919	O24.92	O24.93	O25.10	O25.11
O25.12	O25.13	O25.2	O25.3	O26.00	O26.01	O26.02	O26.03
O26.10	O26.11	O26.12	O26.13	O26.20	O26.21	O26.22	O26.23
O26.30	O26.31	O26.32	O26.33	O26.40	O26.41	O26.42	O26.43
O26.50	O26.51	O26.52	O26.53	O26.611	O26.612	O26.613	O26.619
O26.62	O26.63	O26.711	O26.712	O26.713	O26.719	O26.72	O26.73
O26.811	O26.812	O26.813	O26.819	O26.821	O26.822	O26.823	O26.829
O26.831	O26.832	O26.833	O26.839	O26.841	O26.842	O26.843	O26.849
O26.851	O26.852	O26.853	O26.859	O26.86	O26.872	O26.873	O26.879
O26.891	O26.892	O26.893	O26.899	O26.90	O26.91	O26.92	O26.93
O28.0	O28.1	O28.2	O28.3	O28.4	O28.5	O28.8	O28.9
O29.011	O29.012	O29.013	O29.019	O29.021	O29.022	O29.023	O29.029
O29.091	O29.092	O29.093	O29.099	O29.111	O29.112	O29.113	O29.119
O29.121	O29.122	O29.123	O29.129	O29.191	O29.192	O29.193	O29.199
O29.211	O29.212	O29.213	O29.219	O29.291	O29.292	O29.293	O29.299
O29.3X1	O29.3X2	O29.3X3	O29.3X9	O29.40	O29.41	O29.42	O29.43
O29.5X1	O29.5X2	O29.5X3	O29.5X9	O29.60	O29.61	O29.62	O29.63
O29.8X1	O29.8X2	O29.8X3	O29.8X9	O29.90	O29.91	O29.92	O29.93
O30.001	O30.002	O30.003	O30.009	O30.011	O30.012	O30.013	O30.019
O30.021	O30.022	O30.023	O30.029	O30.031	O30.032	O30.033	O30.039
O30.041	O30.042	O30.043	O30.049	O30.091	O30.092	O30.093	O30.099
O30.101	O30.102	O30.103	O30.109	O30.111	O30.112	O30.113	O30.119
O30.121	O30.122	O30.123	O30.129	O30.191	O30.192	O30.193	O30.199
O30.201	O30.202	O30.203	O30.209	O30.211	O30.212	O30.213	O30.219

## Jawda Telehealth Clinical Indicators Quality Performance

---

O30.221	O30.222	O30.223	O30.229	O30.291	O30.292	O30.293	O30.299
O30.801	O30.802	O30.803	O30.809	O30.811	O30.812	O30.813	O30.819
O30.821	O30.822	O30.823	O30.829	O30.891	O30.892	O30.893	O30.899
O30.90	O30.91	O30.92	O30.93	O31.00X0	O31.00X1	O31.00X2	O31.00X3
O31.00X4	O31.00X5	O31.00X9	O31.01X0	O31.01X1	O31.01X2	O31.01X3	O31.01X4
O31.01X5	O31.01X9	O31.02X0	O31.02X1	O31.02X2	O31.02X3	O31.02X4	O31.02X5
O31.02X9	O31.03X0	O31.03X1	O31.03X2	O31.03X3	O31.03X4	O31.03X5	O31.03X9
O31.10X0	O31.10X1	O31.10X2	O31.10X3	O31.10X4	O31.10X5	O31.10X9	O31.11X0
O31.11X1	O31.11X2	O31.11X3	O31.11X4	O31.11X5	O31.11X9	O31.12X0	O31.12X1
O31.12X2	O31.12X3	O31.12X4	O31.12X5	O31.12X9	O31.13X0	O31.13X1	O31.13X2
O31.13X3	O31.13X4	O31.13X5	O31.13X9	O31.20X0	O31.20X1	O31.20X2	O31.20X3
O31.20X4	O31.20X5	O31.20X9	O31.21X0	O31.21X1	O31.21X2	O31.21X3	O31.21X4
O31.21X5	O31.21X9	O31.22X0	O31.22X1	O31.22X2	O31.22X3	O31.22X4	O31.22X5
O31.22X9	O31.23X0	O31.23X1	O31.23X2	O31.23X3	O31.23X4	O31.23X5	O31.23X9
O31.30X0	O31.30X1	O31.30X2	O31.30X3	O31.30X4	O31.30X5	O31.30X9	O31.31X0
O31.31X1	O31.31X2	O31.31X3	O31.31X4	O31.31X5	O31.31X9	O31.32X0	O31.32X1
O31.32X2	O31.32X3	O31.32X4	O31.32X5	O31.32X9	O31.33X0	O31.33X1	O31.33X2
O31.33X3	O31.33X4	O31.33X5	O31.33X9	O31.8X10	O31.8X11	O31.8X12	O31.8X13
O31.8X14	O31.8X15	O31.8X19	O31.8X20	O31.8X21	O31.8X22	O31.8X23	O31.8X24
O31.8X25	O31.8X29	O31.8X30	O31.8X31	O31.8X32	O31.8X33	O31.8X34	O31.8X35
O31.8X39	O31.8X90	O31.8X91	O31.8X92	O31.8X93	O31.8X94	O31.8X95	O31.8X99
O32.0XX0	O32.0XX1	O32.0XX2	O32.0XX3	O32.0XX4	O32.0XX5	O32.0XX9	O32.1XX0
O24.434	O24.439	O24.811	O24.812	O24.813	O24.819	O24.82	O24.83
O24.911	O24.912	O24.913	O24.919	O24.92	O24.93	O25.10	O25.11
O25.12	O25.13	O25.2	O25.3	O26.00	O26.01	O26.02	O26.03
O26.10	O26.11	O26.12	O26.13	O26.20	O26.21	O26.22	O26.23
O26.30	O26.31	O26.32	O26.33	O26.40	O26.41	O26.42	O26.43
O26.50	O26.51	O26.52	O26.53	O26.611	O26.612	O26.613	O26.619
O26.62	O26.63	O26.711	O26.712	O26.713	O26.719	O26.72	O26.73
O26.811	O26.812	O26.813	O26.819	O26.821	O26.822	O26.823	O26.829
O26.831	O26.832	O26.833	O26.839	O26.841	O26.842	O26.843	O26.849
O26.851	O26.852	O26.853	O26.859	O26.86	O26.872	O26.873	O26.879
O26.891	O26.892	O26.893	O26.899	O26.90	O26.91	O26.92	O26.93
O28.0	O28.1	O28.2	O28.3	O28.4	O28.5	O28.8	O28.9
O29.011	O29.012	O29.013	O29.019	O29.021	O29.022	O29.023	O29.029
O29.091	O29.092	O29.093	O29.099	O29.111	O29.112	O29.113	O29.119
O29.121	O29.122	O29.123	O29.129	O29.191	O29.192	O29.193	O29.199
O29.211	O29.212	O29.213	O29.219	O29.291	O29.292	O29.293	O29.299
O29.3X1	O29.3X2	O29.3X3	O29.3X9	O29.40	O29.41	O29.42	O29.43
O29.5X1	O29.5X2	O29.5X3	O29.5X9	O29.60	O29.61	O29.62	O29.63
O29.8X1	O29.8X2	O29.8X3	O29.8X9	O29.90	O29.91	O29.92	O29.93
O30.001	O30.002	O30.003	O30.009	O30.011	O30.012	O30.013	O30.019

## Jawda Telehealth Clinical Indicators Quality Performance

---

O30.021	O30.022	O30.023	O30.029	O30.031	O30.032	O30.033	O30.039
O30.041	O30.042	O30.043	O30.049	O30.091	O30.092	O30.093	O30.099
O30.101	O30.102	O30.103	O30.109	O30.111	O30.112	O30.113	O30.119
O30.121	O30.122	O30.123	O30.129	O30.191	O30.192	O30.193	O30.199
O30.201	O30.202	O30.203	O30.209	O30.211	O30.212	O30.213	O30.219
O30.221	O30.222	O30.223	O30.229	O30.291	O30.292	O30.293	O30.299
O30.801	O30.802	O30.803	O30.809	O30.811	O30.812	O30.813	O30.819
O30.821	O30.822	O30.823	O30.829	O30.891	O30.892	O30.893	O30.899
O30.90	O30.91	O30.92	O30.93	O31.00X0	O31.00X1	O31.00X2	O31.00X3
O31.00X4	O31.00X5	O31.00X9	O31.01X0	O31.01X1	O31.01X2	O31.01X3	O31.01X4
O31.01X5	O31.01X9	O31.02X0	O31.02X1	O31.02X2	O31.02X3	O31.02X4	O31.02X5
O31.02X9	O31.03X0	O31.03X1	O31.03X2	O31.03X3	O31.03X4	O31.03X5	O31.03X9
O31.10X0	O31.10X1	O31.10X2	O31.10X3	O31.10X4	O31.10X5	O31.10X9	O31.11X0
O31.11X1	O31.11X2	O31.11X3	O31.11X4	O31.11X5	O31.11X9	O31.12X0	O31.12X1
O31.12X2	O31.12X3	O31.12X4	O31.12X5	O31.12X9	O31.13X0	O31.13X1	O31.13X2
O31.13X3	O31.13X4	O31.13X5	O31.13X9	O31.20X0	O31.20X1	O31.20X2	O31.20X3
O31.20X4	O31.20X5	O31.20X9	O31.21X0	O31.21X1	O31.21X2	O31.21X3	O31.21X4
O31.21X5	O31.21X9	O31.22X0	O31.22X1	O31.22X2	O31.22X3	O31.22X4	O31.22X5
O31.22X9	O31.23X0	O31.23X1	O31.23X2	O31.23X3	O31.23X4	O31.23X5	O31.23X9
O31.30X0	O31.30X1	O31.30X2	O31.30X3	O31.30X4	O31.30X5	O31.30X9	O31.31X0
O31.31X1	O31.31X2	O31.31X3	O31.31X4	O31.31X5	O31.31X9	O31.32X0	O31.32X1
O31.32X2	O31.32X3	O31.32X4	O31.32X5	O31.32X9	O31.33X0	O31.33X1	O31.33X2
O31.33X3	O31.33X4	O31.33X5	O31.33X9	O31.8X10	O31.8X11	O31.8X12	O31.8X13
O31.8X14	O31.8X15	O31.8X19	O31.8X20	O31.8X21	O31.8X22	O31.8X23	O31.8X24
O31.8X25	O31.8X29	O31.8X30	O31.8X31	O31.8X32	O31.8X33	O31.8X34	O31.8X35
O31.8X39	O31.8X90	O31.8X91	O31.8X92	O31.8X93	O31.8X94	O31.8X95	O31.8X99
O32.0XX0	O32.0XX1	O32.0XX2	O32.0XX3	O32.0XX4	O32.0XX5	O32.0XX9	O32.1XX0
O32.1XX1	O32.1XX2	O32.1XX3	O32.1XX4	O32.1XX5	O32.1XX9	O32.2XX0	O32.2XX1
O32.2XX2	O32.2XX3	O32.2XX4	O32.2XX5	O32.2XX9	O32.3XX0	O32.3XX1	O32.3XX2
O32.3XX3	O32.3XX4	O32.3XX5	O32.3XX9	O32.4XX0	O32.4XX1	O32.4XX2	O32.4XX3
O32.4XX4	O32.4XX5	O32.4XX9	O32.6XX0	O32.6XX1	O32.6XX2	O32.6XX3	O32.6XX4
O32.6XX5	O32.6XX9	O32.8XX0	O32.8XX1	O32.8XX2	O32.8XX3	O32.8XX4	O32.8XX5
O32.8XX9	O32.9XX0	O32.9XX1	O32.9XX2	O32.9XX3	O32.9XX4	O32.9XX5	O32.9XX9
O33.0	O33.1	O33.2	O33.3XX0	O33.3XX1	O33.3XX2	O33.3XX3	O33.3XX4
O33.3XX5	O33.3XX9	O33.4XX0	O33.4XX1	O33.4XX2	O33.4XX3	O33.4XX4	O33.4XX5
O33.4XX9	O33.5XX0	O33.5XX1	O33.5XX2	O33.5XX3	O33.5XX4	O33.5XX5	O33.5XX9

## Jawda Telehealth Clinical Indicators Quality Performance

---

							O33.7XX0 O33.7XX1 O33.7XX2 O33.7XX3 O33.7XX4 O33.7XX5 O33.7XX9
O33.6XX0	O33.6XX1	O33.6XX2	O33.6XX3	O33.6XX4	O33.6XX5	O33.6XX9	
O33.8	O33.9	O34.00	O34.01	O34.02	O34.03	O34.10	O34.11
O34.12	O34.13	O34.211 O34.212 O34.219	O34.29	O34.30	O34.31	O34.32	O34.33
O34.40	O34.41	O34.42	O34.43	O34.511	O34.512	O34.513	O34.519
O34.521	O34.522	O34.523	O34.529	O34.531	O34.532	O34.533	O34.539
O34.591	O34.592	O34.593	O34.599	O34.60	O34.61	O34.62	O34.63
O34.70	O34.71	O34.72	O34.73	O34.80	O34.81	O34.82	O34.83
O34.90	O34.91	O34.92	O34.93	O35.0XX0	O35.0XX1	O35.0XX2	O35.0XX3
O35.0XX4	O35.0XX5	O35.0XX9	O35.1XX0	O35.1XX1	O35.1XX2	O35.1XX3	O35.1XX4
O35.1XX5	O35.1XX9	O35.2XX0	O35.2XX1	O35.2XX2	O35.2XX3	O35.2XX4	O35.2XX5
O35.2XX9	O35.3XX0	O35.3XX1	O35.3XX2	O35.3XX3	O35.3XX4	O35.3XX5	O35.3XX9
O35.4XX0	O35.4XX1	O35.4XX2	O35.4XX3	O35.4XX4	O35.4XX5	O35.4XX9	O35.5XX0
O35.5XX1	O35.5XX2	O35.5XX3	O35.5XX4	O35.5XX5	O35.5XX9	O35.6XX0	O35.6XX1
O35.6XX2	O35.6XX3	O35.6XX4	O35.6XX5	O35.6XX9	O35.7XX0	O35.7XX1	O35.7XX2
O35.7XX3	O35.7XX4	O35.7XX5	O35.7XX9	O35.8XX0	O35.8XX1	O35.8XX2	O35.8XX3
O35.8XX4	O35.8XX5	O35.8XX9	O35.9XX0	O35.9XX1	O35.9XX2	O35.9XX3	O35.9XX4
O35.9XX5	O35.9XX9	O36.0110	O36.0111	O36.0112	O36.0113	O36.0114	O36.0115
O36.0119	O36.0120	O36.0121	O36.0122	O36.0123	O36.0124	O36.0125	O36.0129
O36.0130	O36.0131	O36.0132	O36.0133	O36.0134	O36.0135	O36.0139	O36.0190
O36.0191	O36.0192	O36.0193	O36.0194	O36.0195	O36.0199	O36.0910	O36.0911
O36.0912	O36.0913	O36.0914	O36.0915	O36.0919	O36.0920	O36.0921	O36.0922
O36.0923	O36.0924	O36.0925	O36.0929	O36.0930	O36.0931	O36.0932	O36.0933
O36.0934	O36.0935	O36.0939	O36.0990	O36.0991	O36.0992	O36.0993	O36.0994
O36.0995	O36.0999	O36.1110	O36.1111	O36.1112	O36.1113	O36.1114	O36.1115
O36.1119	O36.1120	O36.1121	O36.1122	O36.1123	O36.1124	O36.1125	O36.1129
O36.1130	O36.1131	O36.1132	O36.1133	O36.1134	O36.1135	O36.1139	O36.1190
O36.1191	O36.1192	O36.1193	O36.1194	O36.1195	O36.1199	O36.1910	O36.1911
O36.1912	O36.1913	O36.1914	O36.1915	O36.1919	O36.1920	O36.1921	O36.1922
O36.1923	O36.1924	O36.1925	O36.1929	O36.1930	O36.1931	O36.1932	O36.1933
O36.1934	O36.1935	O36.1939	O36.1990	O36.1991	O36.1992	O36.1993	O36.1994
O36.1995	O36.1999	O36.20X0	O36.20X1	O36.20X2	O36.20X3	O36.20X4	O36.20X5
O36.20X9	O36.21X0	O36.21X1	O36.21X2	O36.21X3	O36.21X4	O36.21X5	O36.21X9
O36.22X0	O36.22X1	O36.22X2	O36.22X3	O36.22X4	O36.22X5	O36.22X9	O36.23X0

## Jawda Telehealth Clinical Indicators Quality Performance

---

O36.23X1	O36.23X2	O36.23X3	O36.23X4	O36.23X5	O36.23X9	O36.4XX0	O36.4XX1
O36.4XX2	O36.4XX3	O36.4XX4	O36.4XX5	O36.4XX9	O36.5110	O36.5111	O36.5112
O36.5113	O36.5114	O36.5115	O36.5119	O36.5120	O36.5121	O36.5122	O36.5123
O36.5124	O36.5125	O36.5129	O36.5130	O36.5131	O36.5132	O36.5133	O36.5134
O36.5135	O36.5139	O36.5190	O36.5191	O36.5192	O36.5193	O36.5194	O36.5195
O36.5199	O36.5910	O36.5911	O36.5912	O36.5913	O36.5914	O36.5915	O36.5919
O36.5920	O36.5921	O36.5922	O36.5923	O36.5924	O36.5925	O36.5929	O36.5930
O36.5931	O36.5932	O36.5933	O36.5934	O36.5935	O36.5939	O36.5990	O36.5991
O36.5992	O36.5993	O36.5994	O36.5995	O36.5999	O36.60X0	O36.60X1	O36.60X2
O36.60X3	O36.60X4	O36.60X5	O36.60X9	O36.61X0	O36.61X1	O36.61X2	O36.61X3
O36.61X4	O36.61X5	O36.61X9	O36.62X0	O36.62X1	O36.62X2	O36.62X3	O36.62X4
O36.62X5	O36.62X9	O36.63X0	O36.63X1	O36.63X2	O36.63X3	O36.63X4	O36.63X5
O36.63X9	O36.70X0	O36.70X1	O36.70X2	O36.70X3	O36.70X4	O36.70X5	O36.70X9
O36.71X0	O36.71X1	O36.71X2	O36.71X3	O36.71X4	O36.71X5	O36.71X9	O36.72X0
O36.72X1	O36.72X2	O36.72X3	O36.72X4	O36.72X5	O36.72X9	O36.73X0	O36.73X1
O36.73X2	O36.73X3	O36.73X4	O36.73X5	O36.73X9	O36.80X0	O36.80X1	O36.80X2
O36.80X3	O36.80X4	O36.80X5	O36.80X9	O36.8120	O36.8121	O36.8122	O36.8123
O36.8124	O36.8125	O36.8129	O36.8130	O36.8131	O36.8132	O36.8133	O36.8134
O36.8135	O36.8139	O36.8190	O36.8191	O36.8192	O36.8193	O36.8194	O36.8195
O36.8199	O36.8210	O36.8211	O36.8212	O36.8213	O36.8214	O36.8215	O36.8219
O36.8220	O36.8221	O36.8222	O36.8223	O36.8224	O36.8225	O36.8229	O36.8230
O36.8231	O36.8232	O36.8233	O36.8234	O36.8235	O36.8239	O36.8290	O36.8291
O36.8292	O36.8293	O36.8294	O36.8295	O36.8299	O36.8910	O36.8911	O36.8912
O36.8913	O36.8914	O36.8915	O36.8919	O36.8920	O36.8921	O36.8922	O36.8923
O36.8924	O36.8925	O36.8929	O36.8930	O36.8931	O36.8932	O36.8933	O36.8934
O36.8935	O36.8939	O36.8990	O36.8991	O36.8992	O36.8993	O36.8994	O36.8995
O36.8999	O36.90X0	O36.90X1	O36.90X2	O36.90X3	O36.90X4	O36.90X5	O36.90X9
O36.91X0	O36.91X1	O36.91X2	O36.91X3	O36.91X4	O36.91X5	O36.91X9	O36.92X0
O36.92X1	O36.92X2	O36.92X3	O36.92X4	O36.92X5	O36.92X9	O36.93X0	O36.93X1
O36.93X2	O36.93X3	O36.93X4	O36.93X5	O36.93X9	O40.1XX0	O40.1XX1	O40.1XX2
O40.1XX3	O40.1XX4	O40.1XX5	O40.1XX9	O40.2XX0	O40.2XX1	O40.2XX2	O40.2XX3
O40.2XX4	O40.2XX5	O40.2XX9	O40.3XX0	O40.3XX1	O40.3XX2	O40.3XX3	O40.3XX4
O40.3XX5	O40.3XX9	O40.9XX0	O40.9XX1	O40.9XX2	O40.9XX3	O40.9XX4	O40.9XX5
O40.9XX9	O41.00X0	O41.00X1	O41.00X2	O41.00X3	O41.00X4	O41.00X5	O41.00X9
O41.01X0	O41.01X1	O41.01X2	O41.01X3	O41.01X4	O41.01X5	O41.01X9	O41.02X0
O41.02X1	O41.02X2	O41.02X3	O41.02X4	O41.02X5	O41.02X9	O41.03X0	O41.03X1
O41.03X2	O41.03X3	O41.03X4	O41.03X5	O41.03X9	O41.1010	O41.1011	O41.1012
O41.1013	O41.1014	O41.1015	O41.1019	O41.1020	O41.1021	O41.1022	O41.1023
O41.1024	O41.1025	O41.1029	O41.1030	O41.1031	O41.1032	O41.1033	O41.1034
O41.1035	O41.1039	O41.1090	O41.1091	O41.1092	O41.1093	O41.1094	O41.1095
O41.1099	O41.1210	O41.1211	O41.1212	O41.1213	O41.1214	O41.1215	O41.1219
O41.1220	O41.1221	O41.1222	O41.1223	O41.1224	O41.1225	O41.1229	O41.1230

## Jawda Telehealth Clinical Indicators Quality Performance

---

041.1231	041.1232	041.1233	041.1234	041.1235	041.1239	041.1290	041.1291
041.1292	041.1293	041.1294	041.1295	041.1299	041.1410	041.1411	041.1412
041.1413	041.1414	041.1415	041.1419	041.1420	041.1421	041.1422	041.1423
041.1424	041.1425	041.1429	041.1430	041.1431	041.1432	041.1433	041.1434
041.1435	041.1439	041.1490	041.1491	041.1492	041.1493	041.1494	041.1495
041.1499	041.8X10	041.8X11	041.8X12	041.8X13	041.8X14	041.8X15	041.8X19
041.8X20	041.8X21	041.8X22	041.8X23	041.8X24	041.8X25	041.8X29	041.8X30
041.8X31	041.8X32	041.8X33	041.8X34	041.8X35	041.8X39	041.8X90	041.8X91
041.8X92	041.8X93	041.8X94	041.8X95	041.8X99	041.90X0	041.90X1	041.90X2
041.90X3	041.90X4	041.90X5	041.90X9	041.91X0	041.91X1	041.91X2	041.91X3
041.91X4	041.91X5	041.91X9	041.92X0	041.92X1	041.92X2	041.92X3	041.92X4
041.92X5	041.92X9	041.93X0	041.93X1	041.93X2	041.93X3	041.93X4	041.93X5
041.93X9	042.00	042.011	042.012	042.013	042.019	042.02	042.10
042.111	042.112	042.113	042.119	042.12	042.90	042.911	042.912
042.913	042.919	042.92	043.011	043.012	043.013	043.019	043.021
043.022	043.023	043.029	043.101	043.102	043.103	043.109	043.111
043.112	043.113	043.119	043.121	043.122	043.123	043.129	043.191
043.192	043.193	043.199	043.211	043.212	043.213	043.219	043.221
043.222	043.223	043.229	043.231	043.232	043.233	043.239	043.811
043.812	043.813	043.819	043.891	043.892	043.893	043.899	043.90
043.91	043.92	043.93	044.00	044.01	044.02	044.03	044.10
044.11	044.12	044.13	045.001	045.002	045.003	045.009	045.011
045.012	045.013	045.019	045.021	045.022	045.023	045.029	045.091
045.092	045.093	045.099	045.8X1	045.8X2	045.8X3	045.8X9	045.90
045.91	045.92	045.93	046.001	046.002	046.003	046.009	046.011
046.012	046.013	046.019	046.021	046.022	046.023	046.029	046.091
046.092	046.093	046.099	046.8X1	046.8X2	046.8X3	046.8X9	046.90
046.91	046.92	046.93	047.00	047.02	047.03	047.1	047.9
048.0	048.1	060.00	060.02	060.03	060.10X0	060.10X1	060.10X2
060.10X3	060.10X4	060.10X5	060.10X9	060.12X0	060.12X1	060.12X2	060.12X3
060.12X4	060.12X5	060.12X9	060.13X0	060.13X1	060.13X2	060.13X3	060.13X4
060.13X5	060.13X9	060.14X0	060.14X1	060.14X2	060.14X3	060.14X4	060.14X5
060.14X9	060.20X0	060.20X1	060.20X2	060.20X3	060.20X4	060.20X5	060.20X9
060.22X0	060.22X1	060.22X2	060.22X3	060.22X4	060.22X5	060.22X9	060.23X0
060.23X1	060.23X2	060.23X3	060.23X4	060.23X5	060.23X9	061.0	061.1
061.8	061.9	062.0	062.1	062.2	062.3	062.4	062.8
062.9	063.0	063.1	063.2	063.9	064.0XX0	064.0XX1	064.0XX2
064.0XX3	064.0XX4	064.0XX5	064.0XX9	064.1XX0	064.1XX1	064.1XX2	064.1XX3
064.1XX4	064.1XX5	064.1XX9	064.2XX0	064.2XX1	064.2XX2	064.2XX3	064.2XX4
064.2XX5	064.2XX9	064.3XX0	064.3XX1	064.3XX2	064.3XX3	064.3XX4	064.3XX5
064.3XX9	064.4XX0	064.4XX1	064.4XX2	064.4XX3	064.4XX4	064.4XX5	064.4XX9
064.5XX0	064.5XX1	064.5XX2	064.5XX3	064.5XX4	064.5XX5	064.5XX9	064.8XX0

## Jawda Telehealth Clinical Indicators Quality Performance

---

064.8XX1	064.8XX2	064.8XX3	064.8XX4	064.8XX5	064.8XX9	064.9XX0	064.9XX1
064.9XX2	064.9XX3	064.9XX4	064.9XX5	064.9XX9	065.0	065.1	065.2
065.3	065.4	065.5	065.8	065.9	066.0	066.1	066.2
066.3	066.40	066.41	066.5	066.6	066.8	066.9	067.0
067.8	067.9	068	069.0XX0	069.0XX1	069.0XX2	069.0XX3	069.0XX4
069.0XX5	069.0XX9	069.1XX0	069.1XX1	069.1XX2	069.1XX3	069.1XX4	069.1XX5
069.1XX9	069.2XX0	069.2XX1	069.2XX2	069.2XX3	069.2XX4	069.2XX5	069.2XX9
069.3XX0	069.3XX1	069.3XX2	069.3XX3	069.3XX4	069.3XX5	069.3XX9	069.4XX0
069.4XX1	069.4XX2	069.4XX3	069.4XX4	069.4XX5	069.4XX9	069.5XX0	069.5XX1
069.5XX2	069.5XX3	069.5XX4	069.5XX5	069.5XX9	069.81X0	069.81X1	069.81X2
069.81X3	069.81X4	069.81X5	069.81X9	069.82X0	069.82X1	069.82X2	069.82X3
069.82X4	069.82X5	069.82X9	069.89X0	069.89X1	069.89X2	069.89X3	069.89X4
069.89X5	069.89X9	069.9XX0	069.9XX1	069.9XX2	069.9XX3	069.9XX4	069.9XX5
069.9XX9	070.0	070.1	070.20 070.21 070.22 070.23	070.3	070.4	070.9	071.00
071.02	071.03	071.1	071.2	071.3	071.4	071.5	071.6
071.7	071.81	071.82	071.89	071.9	072.0	072.1	072.2
072.3	073.0	073.1	074.0	074.1	074.2	074.3	074.4
074.5	074.6	074.7	074.8	074.9	075.0	075.1	075.2
075.3	075.4	075.5	075.81	075.82	075.89	075.9	076
077.0	077.1	077.8	077.9	080	082	085	086.0
086.11	086.12	086.13	086.19	086.20	086.21	086.22	086.29
086.4	086.81	086.89	087.0	087.1	087.2	087.3	087.4
087.8	087.9	088.011	088.012	088.013	088.019	088.02	088.03
088.111	088.112	088.113	088.119	088.12	088.13	088.211	088.212
088.213	088.219	088.22	088.23	088.311	088.312	088.313	088.319
088.32	088.33	088.811	088.812	088.813	088.819	088.82	088.83
089.01	089.09	089.1	089.2	089.3	089.4	089.5	089.6
089.8	089.9	090.0	090.1	090.2	090.3	090.4	090.5
090.6	090.81	090.89	090.9	091.011	091.012	091.013	091.019
091.02	091.03	091.111	091.112	091.113	091.119	091.12	091.13
091.211	091.212	091.213	091.219	091.22	091.23	092.011	092.012
092.013	092.019	092.02	092.03	092.111	092.112	092.113	092.119
092.12	092.13	092.20	092.29	092.3	092.4	092.5	092.6
092.70	092.79	094	098.011	098.012	098.013	098.019	098.02
098.03	098.111	098.112	098.113	098.119	098.12	098.13	098.211
098.212	098.213	098.219	098.22	098.23	098.311	098.312	098.313
098.319	098.32	098.33	098.411	098.412	098.413	098.419	098.42
098.43	098.511	098.512	098.513	098.519	098.52	098.53	098.611
098.612	098.613	098.619	098.62	098.63	098.711	098.712	098.713

## Jawda Telehealth Clinical Indicators Quality Performance

---

098.719	098.72	098.73	098.811	098.812	098.813	098.819	098.82
098.83	098.911	098.912	098.913	098.919	098.92	098.93	099.011
099.012	099.013	099.019	099.02	099.03	099.111	099.112	099.113
099.119	099.12	099.13	099.210	099.211	099.212	099.213	099.214
099.215	099.280	099.281	099.282	099.283	099.284	099.285	099.310
099.311	099.312	099.313	099.314	099.315	099.320	099.321	099.322
099.323	099.324	099.325	099.330	099.331	099.332	099.333	099.334
099.335	099.340	099.341	099.342	099.343	099.344	099.345	099.350
099.351	099.352	099.353	099.354	099.355	099.411	099.412	099.413
099.419	099.42	099.43	099.511	099.512	099.513	099.519	099.52
099.53	099.611	099.612	099.613	099.619	099.62	099.63	099.711
099.712	099.713	099.719	099.72	099.73	099.810	099.814	099.815
099.820	099.824	099.825	099.830	099.834	099.835	099.840	099.841
099.842	099.843	099.844	099.845	099.89	09A.111	09A.112	09A.113
09A.119	09A.12	09A.13	09A.211	09A.212	09A.213	09A.219	09A.22
09A.23	09A.311	09A.312	09A.313	09A.319	09A.32	09A.33	09A.411
09A.412	09A.413	09A.419	09A.42	09A.43	09A.511	09A.512	09A.513
09A.519	09A.52	09A.53					

### APPENDIX – D ICD-10 CM CODES (E08, E10, E11, E13, O24 Series)

E08.00	E08.01	E08.10	E08.11	E08.21	E08.22	E08.29	E08.311
E08.319	E08.3211 E08.3212 E08.3213 E08.3219	E08.3291 E08.3292 E08.3293 E08.3299	E08.3311 E08.3312 E08.3313 E08.3319	E08.3391 E08.3392 E08.3393 E08.3399	E08.3411 E08.3412 E08.3413 E08.3419	E08.3491 E08.3492 E08.3493 E08.3499	E08.3511 E08.3512 E08.3513 E08.3519
E08.3591 E08.3592 E08.3593 E08.3599	E08.36	E08.39	E08.40	E08.41	E08.42	E08.43	E08.44
E08.49	E08.51	E08.52	E08.59	E08.610	E08.618	E08.620	E08.621
E08.622	E08.628	E08.630	E08.638	E08.641	E08.649	E08.65	E08.69
E08.8	E08.9						
E10.10	E10.11	E10.21	E10.22	E10.29	E10.311	E10.319	E10.3211 E10.3212 E10.3213 E10.3219

## Jawda Telehealth Clinical Indicators Quality Performance

---

E10.3291	E10.3311	E10.3391	E10.3411	E10.3491	E10.3511	E10.3591	E10.36
E10.3292	E10.3312	E10.3392	E10.3412	E10.3492	E10.3512	E10.3592	
E10.3293	E10.3313	E10.3393	E10.3413	E10.3493	E10.3513	E10.3593	
E10.3299	E10.3319	E10.3399	E10.3419	E10.3499	E10.3519	E10.3599	
E10.39	E10.40	E10.41	E10.42	E10.43	E10.44	E10.49	E10.51
E10.52	E10.59	E10.610	E10.618	E10.620	E10.621	E10.622	E10.628
E10.630	E10.638	E10.641	E10.649	E10.65	E10.69	E10.8	E10.9
E11.00	E11.01	E11.21	E11.22	E11.29	E11.311	E11.319	E11.3211 E11.3212 E11.3213 E11.3219
E11.3291	E11.3311	E11.3391	E11.3411	E11.3491	E11.3511	E11.3591	E11.36
E11.3292	E11.3312	E11.3392	E11.3412	E11.3492	E11.3512	E11.3592	
E11.3293	E11.3313	E11.3393	E11.3413	E11.3493	E11.3513	E11.3593	
E11.3299	E11.3319	E11.3399	E11.3419	E11.3499	E11.3519	E11.3599	
E11.39	E11.40	E11.41	E11.42	E11.43	E11.44	E11.49	E11.51
E11.52	E11.59	E11.610	E11.618	E11.620	E11.621	E11.622	E11.628
E11.630	E11.638	E11.641	E11.649	E11.65	E11.69	E11.8	E11.9
E13.00	E13.01	E13.10	E13.11	E13.21	E13.22	E13.29	E13.311
E13.319	E13.3211	E133291	E13.3311	E13.3391	E13.3411	E13.3491	E13.3511
	E13.3212	E133292	E13.3312	E13.3392	E13.3412	E13.3492	E13.3512
	E13.3213	E133293	E13.3313	E13.3393	E13.3413	E13.3493	E13.3513
	E13.3219	E133299	E13.3319	E13.3399	E13.3419	E13.3499	E13.3519
E13.3591	E13.36	E13.39	E13.40	E13.41	E13.42	E13.43	E13.44
E13.3592							
E13.3593							
E13.3599							
E13.49	E13.51	E13.52	E13.59	E13.610	E13.618	E13.620	E13.621
E13.622	E13.628	E13.630	E13.638	E13.641	E13.649	E13.65	E13.69
E13.8	E13.9						
O24.011	O24.012	O24.013	O24.019	O24.02	O24.03	O24.111	O24.112
O24.113	O24.119	O24.12	O24.13	O24.311	O24.312	O24.313	O24.319
O24.32	O24.33	O24.410	O24.414	O24.419	O24.420	O24.424	O24.429
O24.430	O24.434	O24.439	O24.811	O24.812	O24.813	O24.819	O24.82
O24.83	O24.911	O24.912	O24.913	O24.919	O24.92	O24.93	